Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1. (currently amended) Apparatus for non-invasively treating patent foramen ovale comprising:

a housing;

an ultrasound imaging system disposed within the housing;

a high intensity focused ultrasound system disposed within the housing in alignment with the ultrasound imaging system; and

a controller operably connected to the ultrasound imaging system and high intensity focused ultrasound system to selectively target high intensity ultrasound energy on either or both of a patient's septum primum or septum secundum, the controller displaying a marker corresponding to a focal point of the high intensity focused ultrasound system.

- 2. (currently amended) The apparatus of claim 1 wherein the controller ultrasound imaging system and the high intensity focused ultrasound system comprise common transducers.
 - 3. (cancelled)
- 4. (currently amended) The apparatus of claim <u>and</u> wherein the controller is programmed to adjust a location of the focal point of the high intensity focused ultrasound system within a two-dimensional plane orthogonal to an axis of the high intensity focused ultrasound system.
- 5. (currently amended) The apparatus of claim 3—1 wherein the controller is programmed to adjust a location of a depth of the focal point of the high intensity focused ultrasound system.

- 6. (withdrawn) The apparatus of claim 1 further comprising a fluid-filled balloon coupled to the housing to adjust a location of the focal point of the high intensity focused ultrasound system.
- 7. (withdrawn) The apparatus of claim 1 wherein the patient's septum primum and septum secundum are apposed during treatment.
- 8. (withdrawn) The apparatus of claim 7, wherein apposition of the patient's septum primum and septum secundum is achieved noninvasively using drugs, noninvasive procedures, or a combination thereof.
- 9. (withdrawn) The apparatus of claim 7, wherein increased contact pressure between the patient's septum primum and septum secundum is achieved noninvasively using drugs, noninvasive procedures, or a combination thereof.
- 10. (withdrawn) A method of non-invasively treating patent foramen ovale comprising:

providing a housing having an ultrasound imaging system and a high intensity focused ultrasound system disposed in alignment with the ultrasound imaging system;

contacting the housing against a patient's body;

operating the ultrasound imaging system to generate an image of a portion of cardiac tissue; and operating the high intensity focused ultrasound system, guided by the image, to heat or ablate either or both of a patient's septum primum or septum secundum.

- 11. (withdrawn) The method of claim 10 further comprising generating and displaying a marker corresponding to a focal point of the high intensity focused ultrasound system on the image.
- 12. (withdrawn) The method of claim 10 further comprising modifying a location of the target site by adjusting a location of the focal point of the high intensity focused ultrasound system.

- 13. (withdrawn) The method of claim 10 further comprising disposing a fluid-filled balloon between the patient's body and the housing to adjust a location of the focal point of the high intensity focused ultrasound system.
- 14. (withdrawn) The method of claim 10 further comprising apposing the patient's septum primum and septum secundum noninvasively using drugs, noninvasive procedures, or a combination thereof.
- 15. (withdrawn) The method of claim 10 further comprising increasing contact pressure between the patient's septum primum and septum secundum is noninvasively using drugs, noninvasive procedures, or a combination thereof.
- 16. (currently amended) Apparatus for intraluminally treating patent foramen ovale comprising:

a catheter;

an ultrasound imaging system disposed within the catheter;

a high intensity focused ultrasound system disposed within the catheter in alignment with the ultrasound imaging system; and

a controller operably connected to the ultrasound imaging system and high intensity focused ultrasound system to selectively target high frequency ultrasound energy on either or both of a patient's septum primum or septum secundum, the controller displaying a marker corresponding to a focal point of the high intensity focused ultrasound system.

- 17. (currently amended) The apparatus of claim 16 wherein the controller ultrasound imaging system and the high intensity focused ultrasound system comprise common components.
 - 18. (Canceled)
- 19. (currently amended) The apparatus of claim 48-16 wherein the controller is programmed to adjust a location of the focal point of the high intensity focused ultrasound

system within a two-dimensional. plane orthogonal to an axis of the high intensity focused ultrasound system.

- 20. (currently amended) The apparatus of claim 48-16 wherein the controller is programmed to adjust a location of a depth of the focal point of the high intensity focused ultrasound system.
- 21. (original) The apparatus of claim 16 wherein the high intensity focused ultrasound system is configured to focus along a linear ablation target.
 - 22. (Canceled)
 - 23. (Canceled)
 - 24. (Canceled)
- 25. (original) A method of treating patent foramen ovale comprising:

 providing a catheter having a distal portion housing an ultrasound imaging system
 and a high intensity focused ultrasound system disposed in alignment with the ultrasound
 imaging system;

disposing the distal portion of the catheter within a patient's body lumen; operating the ultrasound imaging system to generate an image of a portion of cardiac tissue; and

operating the high intensity focused ultrasound system, guided by the image, to heat or ablate either or both of the patient's septum primum or septum secundum.

- 26. (cancelled)
- 27. (original) The method of claim 25, wherein the body lumen is the aorta.
- 28. (original) The method of claim 25, wherein the body lumen is the right atrium.

- 29. (original) The method of claim 25, wherein the body lumen is the inferior vena cava.
- 30. (original) The method of claim 25, wherein the body lumen is the superior vena cava.
- 31. (original) The method of claim 25 further comprising generating and displaying a marker corresponding to a focal point of the high intensity focused ultrasound system on the image.
- 32. (original) The method of claim 25 further comprising modifying a location of the target site by adjusting a location of the focal point of the high intensity focused ultrasound system.
- 33. (original) The method of claim 25 further comprising apposing the patient's septum primum and septum secundum noninvasively using drugs, noninvasive procedures, or a combination thereof.
- 34. (original) The method of claim 25 further comprising increasing contact pressure between the patient's septum primum and septum secundum is noninvasively using drugs, noninvasive procedures, or a combination thereof.
- 35. (withdrawn) Apparatus as in claim 1, wherein the housing is adapted to apply energy to either or both of the septum primum or septum secundum from outside a patient's body.
 - 36. (new) Apparatus as in claim 1, wherein the housing is a catheter.
- 37. (withdrawn) The method of claim 10, wherein contacting comprises engaging the housing on an outside surface of the patient's body.

Appl. No. 10/787,532 Amdt. dated June 25, 2007

Reply to Office Action of June 13, 2007

PATENT

- 38. (withdrawn) The method of claim 10, wherein contacting comprises engaging the housing on an esophageal surface of the patient's body.
- 39. (withdrawn) The method of claim 10, wherein contacting the housing comprises introducing the housing in a patient's heart chamber.
- 400. (New) The method of claim 32 wherein the location of the focal point of the high intensity focused ultrasound system is adjusted within a two-dimensional plane orthogonal to an axis of the high intensity focused ultrasound system.
- (New) The method of claim 32 wherein the location of the focal point of 41. the high intensity focused ultrasound system is adjusted by modifying a location of a depth of the focal point of the high intensity focused ultrasound system.